

**hitch your star
to this DATSUN wagon!**



DATSUN STATION WAGON

WWW.RATDAT.COM



wear that 100,000 mile DATSUN smile!

For day-in, day-out driving ease and economy, hitch your star to this compact wagon and get set for a 100,000 smile love affair! Whether you're hauling a load of lumber or a junior league baseball team, Datsun gets the job done with a lot less strain on you—and your budget! A real performer with solid unitized body and frame—and plush, roomy interior with 67 cubic feet of cargo space! Test it—and put a wagon full of smiles in your life!



NEW POWER AND PERFORMANCE FEATURES

- FULL SYNCHROMESH 4-SPEED FLOOR SHIFT
- BIG NEW ENGINE
- 85 MPH TOP SPEED. 36% GRADE ABILITY.
- INCREASED TORQUE, HORSEPOWER AND RPM
- NEW RECIRCULATING BALL TYPE GEAR STEERING
- RUGGED UNITIZED BODY AND FRAME
- BIG GAS ECONOMY UP TO 33MPG
- PARTS AND SERVICE ALWAYS AVAILABLE
- 67 CUBIC FEET OF CARGO SPACE
- VERSATILE FOLD-DOWN REAR SEAT

DELIVERS WITH ALL THESE 'NO COST' EXTRAS

WHITEWALL TIRES • HEATER AND DEFROSTER • BUCKET SEATS • SEAT BELTS
PADDED DASH • CARPETING • VINYL INTERIOR • FULL SYNCHROMESH
4-SPEED FLOOR SHIFT • A.C. ALTERNATOR • DELUXE CHROME TRIM AND
WHEEL DISCS • PANORAMIC VIEW SAFETY GLASS WINDOWS • 7-STEP PAINT
PROCESS • UNDERCOATING • TURN SIGNALS • SUNVISORS • ASH TRAYS
ENCLOSED GLOVE COMPARTMENT, PLUS MANY OTHER DELUXE EXTRAS



SPECIFICATIONS*

Model WPL 411 Station Wagon Engine

Gasoline engine in line, water cooled O.H.V. four cylinder, Bore 2.874 ins., stroke 3.055 ins., cubic capacity 79.3 cu. ins. (1300cc); Max. B.H.P. 67 at 5200 r.p.m.; Compression ratio 8.2:1.

Transmission

4 speeds forward and 1 reverse; Synchromesh on 1st, 2nd, 3rd and top gears; Direct floor gear shift; Gear ratio 1st 3.945, 2nd 2.403, 3rd 1.490, top 1.000 and reverse 5.159.

Differential

Semi-floating axle; Hypoid bevel, final gear ratio 4.111.

Suspension

Front: Independent coil springs; Telescopic shock absorbers. Con-rod stabilizer.

Rear: Longitudinal semi-elliptic springs, 4 leaves, Telescopic shock absorbers.

Steering

Recirculating ball type gear, ratio 14.8:1.

Wheels and Tires

Steel disc wheels: 5.60x13 4 ply White Sidewall Tires.

Brakes

Hydraulic, Front two-leading shoe; Rear leading and trailing shoe; Brake drum dia. 9 ins.; Parking brake mechanically operated on rear wheels only.

Body and Frame

Five passenger, four-door wagon. Bucket seats in front... rear seat folds down to give 67 cubic feet of cargo space. All steel unitized body with a perimeter box frame.

Wheelbase: 93.7 ins.

Track: front 47.5 ins.; rear 47.2 ins.

Overall length: 157.3 ins.

Overall width: 58.7 ins.

Overall height: (loaded) 56.3 ins.

Vehicle weight: 2,112 lbs.

Standard Equipment

White Sidewall Tires, Heater and Defrosters, Bucket Seats, Seat Belts, Carpeting, Vinyl Interior, Ash Trays Front and Rear, Padded Dashboard, Turn Signal Lever with Dimmer Switch Unit, Dual 2-speed Windshield Wipers, Sunvisors, Front Arm Rests, Glove Compartment Box, Full Synchromesh 4-speed Floor Shift, A.C. Alternator, Air Cleaner, Gas Filter, Back Mirror, Lockable Fuel Cap, Coat Hangers, Deluxe Chrome Trim and Wheel Discs, Factory Undercoating.



- PERFORMANCE
- ECONOMY
- DEPENDABILITY

drive a
DATSUN
then decide!

SPORTSCAR SALON LTD.

164-24 NORTHERN BLVD.

FLUSHING, NEW YORK



NISSAN MOTOR CORP. IN U.S.A.

PRINTED IN U.S.A.

FORM NO. 221H

*These specifications are
subject to change
without notice.

WWW.RATDAT.COM